



Torro Plus

Apple
7796



Chrome
6775*^m



Ebony
0016




Electric
8133



Haze
7382



Hide
7385



Horizon
7387



Ivory
6876



Jaffa
7386




Jonquil
7800



Latte
5800



Malachite
7384



Mercury
6790




Merlot
5805




Metallic
6259*m



Midnight
5990



Ochre
6787



Oxide
6774*m



Palma
7799



Paradise
7388



Polar
0001



Praline
6780



Pumpkin
7801



Silver
6875



Sorbet
7389



Tan
6786



Topaz
8134



Truffle
6873



Valentino
7390



Vanilla
6874



Application:

Upholstery Fabric

Composition:

54.2% Polyurethane, 26.3% Polyester 19.5% Cotton

Width:

137cm ± 2%

Weight:

560gms/m²

Abrasion:

BS EN ISO 5470-2:2003 Method 1 60,000 Rubs

Flame Retardancy:

BS 7176:2007 Low Hazard.

BS 7176:2007 Medium Hazard.

BS EN 1021-1:2006 (Cigarette).

BS EN 1021-2:2006 (Match).

BS 5852:Section 4 Ignition Source 5 FMVSS 302 Motor Vehicle Safety.

Note: Flammability performance is dependent on foam used.

Light Fastness:

BS EN ISO 105 - B02:1999 - 5

Fastness to Rubbing Wet & Dry:

BS EN ISO 105 - X12:2002 - 55 Lengthway, 5 Widthway (Wet & Dry)

Tensile Strength:

BS EN ISO 13934-1:1999 Lengthway 650N, Widthway 610N

Tear Resistance:

BS EN ISO 13937-2:2000 Torn across length 31N, Torn across width 38N

Sea Water Fastness:

BS EN ISO 105 - EO2:1996 - 5

Colour Matching:

Batch to batch variations in shade may occur within commercial tolerances. We recommend that fabric be examined before use as no claims will be considered after cutting.

Product Development:

We reserve the right to change the specification of our product in line with our product development programme without notice.

Fabric Care and Maintenance:

Use a damp clean cloth with a solution of mild soap and lukewarm water. Please refer to our fabric care guide.

Technical Assistance:

Our technical staff will be pleased to offer advice on F.R. and other matters.

Availability:

Generally ex-stock

Guarantee:

Fabric guaranteed for 3 years under normal wear and tear, see our terms and conditions.