

Archive Shelving Bays

JUST ARCHIVING is the cost effective solution to bulk storage of documents. These easy to assemble shelving bays come complete with archive boxes in 4 different profiles to meet most archiving requirements. Simple tap together assembly. Uprights finished in Red. Boxes are: 266H x 356W x 445D mm with internal dimensions of 254H x 330W x 407D mm.

Easy to assemble shelving bays come complete with archive boxes



30 Box Bay



35 Box Bay



70 Box Bay

Ideal solution for the bulk storage of documents

Archive Shelving Bays

DIMENSIONS H* x D x W (mm)	DESCRIPTION	BOXES STORED	SHELF LOAD	REF
2050 x 450 x 1800	Complete Archive Bays	30	635kg	JAU30RDGU
2270* x 900 x 1800		35	210kg	JAU35RDGU
2050 x 450 x 1800		60	635kg	JAU60RDGU
2270 x 900 x 1800		70	210kg	JAU70RDGU

* Height to top of box

Extra Archive Box

DIMENSIONS H x D x W (mm)	DESCRIPTION	REF
266 x 356 x 445	Extra Archive Box	FBFFAS005

INDUSTRIAL SHELVING

Just Lever Arch File Bays

- Economic solution to keeping files tidy in the office
- Easy to assemble shelving bays complete with A4 or Foolscap file holders
- Choice of 20 or 50 file capacity bays

Three or six shelf unit supplied with file holders. Bays are available in a choice of upright colours with Light Grey beams.

! DON'T FORGET
Specify your frame colour when ordering!

Choice of 20 or 50 capacity bays

DIMENSIONS H x W x D (mm)	FILE TYPE	NUMBER OF FILES	REF
915 x 1000 x 300	A4	20	20A4_GU
915 x 1000 x 300	Foolscap	20	20FS_GU
1980 x 1000 x 300	A4	50	50A4_GU
2400 x 1000 x 300	Foolscap	50	50FS_GU

NEW



Colour Options >>>

Please specify frame colour when ordering.
* RD in the references below denotes RED uprights. Substitute GB for blue, GX for dark grey or GU for light grey.

Beam Colour Light Grey

Frame Colours

Light Grey GU Dark Grey GX Red RD Blue GB



Just Lever Arch File Bays

It is essential that shelving exceeding a height to depth ratio of 4:1 to the top loaded shelf is adequately secured to the floor: fixings available; please ask.

At a glance >>>

Wire Shelving

- Fully adaptable systems, offering a multitude of answers to a variety of storage problems
- Easy bolt free assembly
- Fully adjustable shelves
- UDL shelf loads for static shelving 300kg up to 1200W mm, 240kg



Manufactured in the UK




FREE Delivery within UK mainland*

- over 1200W mm
- Open wire design increases airflow and reduces dust build-up
- A hardwearing, smooth, snag free finish. Strength with style and elegance

Strength with style and elegance



Available in 2 finishes - headwearing polished chrome for dry-store areas, or silver-grey antibacterial epoxy coating, suitable for cold rooms, freezers and other damp conditions



Easy bolt free assembly



Fully adjustable shelves

Castors

DESCRIPTION	REF
75mm Unbraked Castor - Max Unit Load 210kg	R75UB
75mm Braked Castor - Max Unit Load 210kg	R75BR
100mm Unbraked Castor - Max Unit Load 240kg	R100UB
100mm Braked Castor - Max Unit Load 240kg	R100BR
120mm Unbraked Castor - Max Unit Load 300kg	R120UB
120mm Braked Castor - Max Unit Load 300kg	R120BR



Wire Shelving

Wire shelving bays can be assembled in minutes. Simply snap the plastic shelf support collars in position on the uprights, then drop the shelf over the uprights and press into place.

Open wire design increases airflow and reduces dust build-up

Call for more info



Castors available

4 Tier Perma Plus Antibacterial Epoxy Coated for Cold and Damp Conditions

DIMENSIONS H x W x D (mm)	STARTER BAY REF	EXTENSION BAY REF	EXTRA SHELF REF
1625 x 610 x 460	EPP40	EPP40AO	EPP1824
1625 x 915 x 460	EPP44	EPP44AO	EPP1836
1625 x 1220 x 460	EPP45	EPP45AO	EPP1848
1625 x 1520 x 460	EPP46	EPP46AO	EPP1860
1625 x 610 x 610	EPP47A	EPP47AO	EPP2424
1625 x 915 x 610	EPP48	EPP48AO	EPP2436
1625 x 1220 x 610	EPP49	EPP49AO	EPP2448
1625 x 1520 x 610	EPP50	EPP50AO	EPP2460

4 Tier Chrome Wire Shelving

DIMENSIONS H x W x D (mm)	STARTER BAY REF	EXTENSION BAY REF	EXTRA SHELF REF
1625 x 610 x 460	EC40	EC40AO	EC1824
1625 x 915 x 460	EC44	EC44AO	EC1836
1625 x 1220 x 460	EC45	EC45AO	EC1848
1625 x 1520 x 460	EC46	EC46AO	EC1860
1625 x 610 x 610	EC47A	EC47AO	EC2424
1625 x 915 x 610	EC48	EC48AO	EC2436
1625 x 1220 x 610	EC49	EC49AO	EC2448
1625 x 1520 x 610	EC50	EC50AO	EC2460

At a glance >>>

Standard Duty Shelving

- Simple, tap together, fully adjustable shelving for quick and economic storage solutions
- Take a standard bay and tailor it to your needs by adding shelf levels
- Just Shelving maximises the storage of archive boxes, box files, arch files and many packaged stock items
- 5 or 6 shelf units with 18mm chipboard decks
- Bays comprise 4 uprights, 5 or 6 shelf levels with J-beams, feet and assembly instructions
- Bays will be supplied with red uprights and light grey beams unless specified otherwise
- Maximum bay load for bays 1980mm high - 2000kg UDL, maximum bay load for bays over 1980mm high - 1500kg UDL



Manufactured in the UK



FREE Delivery within UK mainland*



INDUSTRIAL SHELVING



Express Delivery >>>

Need Standard Duty Shelving in a hurry?

Limited range of our standard duty shelving are available on a **3-5 day FREE DELIVERY*** for that quick turnaround. Light Grey uprights only.

*Maximum of 5 bays per order, postcode restrictions apply.

DIMENSIONS H x W x D (mm)	MAXIMUM SHELF LOAD	REF	REF PRICE
1980 x 900 x 300	360kg	EDSX001GUGU	
1980 x 1200 x 300	350kg	EDSX002GUGU	
1980 x 900 x 450	320kg	EDSX004GUGU	
1980 x 1200 x 450	350kg	EDSX005GUGU	

DIMENSIONS H x W x D (mm)	MAXIMUM SHELF LOAD	SHELVING BAY		EXTRA SHELF LEVEL
		REF*	SHELF LEVELS	REF
1981 x 900 x 300	360kg	SX001RDGU	5	SX101GU
1981 x 1200 x 300	350kg	SX002RDGU	5	SX102GU
1981 x 1500 x 300	175kg	SX003RDGU	5	SX103GU
1981 x 900 x 380	300kg	SX192RDGU	5	SX195GU
1981 x 1200 x 380	350kg	SX193RDGU	5	SX196GU
1981 x 1500 x 380	175kg	SX194RDGU	5	SX197GU
1981 x 900 x 450	320kg	SX004RDGU	5	SX104GU
1981 x 1200 x 450	350kg	SX005RDGU	5	SX105GU
1981 x 1500 x 450	175kg	SX006RDGU	5	SX106GU
1981 x 900 x 600	180kg	SX007RDGU	5	SX107GU
1981 x 1200 x 600	200kg	SX019RDGU	5	SX119GU
1981 x 1200 x 900	75kg	JSD012	5	JSEX1290
1981 x 1500 x 600	175kg	SX008RDGU	5	SX108GU
1981 x 1500 x 900	104kg	SX011-GU	5	JSEX1590
2438 x 900 x 600	180kg	SX198RDGU	5	SX107GU
2438 x 1200 x 600	200kg	SX199RDGU	5	SX119GU
2438 x 1500 x 600	175kg	SX200RDGU	5	SX108GU
2438 x 900 x 300	360kg	JSD0014	6	-
2438 x 900 x 450	320kg	JSD0015	6	-
2438 x 1200 x 450	350kg	JSD0018	6	-
2438 x 1200 x 600	200kg	JSD0019	6	-
2438 x 1200 x 900	75kg	JSD0020	6	-
2438 x 1500 x 300	175kg	JSD0021	6	-
2438 x 1500 x 450	175kg	JSD0022	6	-
2348 x 1500 x 900	104kg	JSD024	6	-

Colour Options >>>

Please specify frame colour when ordering. * RD in the references below denotes RED uprights. Substitute GB for blue, GX for dark grey or GU for light grey.

Beam Colour **Light Grey**

Frame Colours



It's so quick & easy!

- Simple tap-together construction
- No fiddly nuts and bolts
- Bays assembled within ten minutes



Unpack and assemble the framework by simply tapping together...



...with the framework complete, just drop the shelves into position.

EASY ORDERING - See back page for details

Merlin Industrial Products Ltd - 0845 124 9955 - Email sales@merlin-industrial.co.uk

At a glance >>> Heavy Duty Shelving

- Strong and robust adjustable shelving for manufacturing, engineering and production environments
- Heavy duty design offers simple and fast assembly, giving you a quick solution to your storage needs
- A fast and economic solution to everyday storage and production problems
- Quickly and easily assembled, requiring only a rubber mallet
- Robust and colourful finishes suit any environment
- Wide range of depths and widths offer flexible and cost effective solutions
- Add extra shelves as required, or ask us to design a system which suits your specific needs
- Ask about our complete installation service



More sizes available
Call us for other sizes!

DIMENSIONS H x W x D (mm)	MAXIMUM SHELF LOAD	REF	SHELVING BAY REF*	EXTRA SHELF LEVEL REF
1980 x 900 x 450	320kg	SX20	SX203RDGU	SX207GU
1980 x 900 x 600	180kg	SX20	SX204RDGU	SX208GU
1980 x 1200 x 450	350kg	SX20	SX201RDGU	SX205GU
1980 x 1200 x 600	200kg	SX20	SX202RDGU	SX206GU
1980 x 1500 x 450	510kg	SX02	SX020RDGU	SX120GU
1980 x 1500 x 600	275kg	SX02	SX021RDGU	SX121GU
1980 x 1500 x 900	104kg	SX02	SX022RDGU	SX122GU
1980 x 1800 x 450	635kg	SX02	SX023RDGU	SX109GU
1980 x 1800 x 600	365kg	SX02	SX024RDGU	SX110GU
1980 x 1800 x 900	210kg	SX02	SX025RDGU	SX111GU
1980 x 2100 x 450	650kg	SX02	SX026RDGU	SX126GU
1980 x 2100 x 600	400kg	SX02	SX027RDGU	SX127GU
1980 x 2100 x 900	210kg	SX02	SX028RDGU	SX128GU
1980 x 2400 x 450	600kg	SX02	SX029RDGU	SX112GU
1980 x 2400 x 600	445kg	SX01	SX013RDGU	SX113GU
1980 x 2400 x 900	210kg	SX01	SX014RDGU	SX114GU

* RD in the references above denotes RED uprights. Substitute GB for blue, GX for dark grey or GU for light grey

Connector Plates

Connector Plates are used to secure adjacent bays together. Four plates are needed to join two bays.

REF
SXSRLGU



Express Delivery >>>

Need Heavy Duty Shelving in a hurry?

Limited range of our Heavy Duty Shelving are available on a **3-5 day FREE DELIVERY*** for that quick turnaround. Light Grey uprights only.

* Maximum of 5 bays per order, postcode restrictions apply.

DIMENSIONS H x W x D (mm)	MAXIMUM SHELF LOAD	REF	REF PRICE
1980 x 1800 x 450	635kg	EDSX023GUGU	
1980 x 2100 x 450	650kg	EDSX026GUGU	
1980 x 2400 x 450	600kg	EDSX029GUGU	

At a glance >>>

Kanban Units

Cost effective solution for line and cell based manufacturing operations, where sloping shelves present containers for easy access and at the right height for operatives.

- Supplied ready for quick and easy boltless self assembly
- Choice of heights, widths and depths
- Painted upright and beams with heavy duty galvalite sloping panels
- Static bays carry up to 510kg, mobile unit 425kg uniformly distributed load
- Purchase plastic containers separately, see page 38
- Choose from different colours and sizes to meet your specific requirements
- Mobile version features braked wheels capable of carrying 425kg for smooth and easy movement of bays



FREE Delivery within UK mainland*



Manufactured in the UK



Mobile Units



INDUSTRIAL SHELVING



Mobile version features braked wheels capable of carrying 425kg for smooth and easy movement of bays

Mobile Units

DIMENSIONS H x W x D (mm)	LEVELS	REF
1500 x 1200 x 600	5	JKM001_GU
1500 x 1500 x 600	5	JKM002_GU
1500 x 1800 x 600	5	JKM003_GU
1500 x 1200 x 750	5	JKM004_GU
1500 x 1500 x 750	5	JKM005_GU
1500 x 1800 x 750	5	JKM006_GU

Static Units

DIMENSIONS H x W x D (mm)	LEVELS	REF
1500 x 1200 x 600	5	JKS007_GU
1500 x 1500 x 600	5	JKS008_GU
1500 x 1800 x 600	5	JKS009_GU
1500 x 1200 x 750	5	JKS010_GU
1500 x 1500 x 750	5	JKS011_GU
1500 x 1800 x 750	5	JKS012_GU
1800 x 1200 x 600	6	JKS001_GU
1800 x 1500 x 600	6	JKS002_GU
1800 x 1800 x 600	6	JKS003_GU
1800 x 1200 x 750	6	JKS004_GU
1800 x 1500 x 750	6	JKS005_GU
1800 x 1800 x 750	6	JKS006_GU



Static Units

EASY ORDERING - See back page for details

Merlin Industrial Products Ltd - 0845 124 9955 - Email sales@merlin-industrial.co.uk

At a glance >>>

Louvre Panel Cupboards

- Lockable bin cupboard with internal louvre panel fitted at rear offering secure storage for valuable small parts.
- Cupboard comes complete with range of premium containers
- Choice of cupboard heights
- Choice of door colours
- Three point locking
- Vertical door stiffening for added strength
- Adjustable shelves on a 25mm vertical pitch
- Shelves carry a maximum of 78kg UDL
- Bin colours as illustrated
- Cupboard delivered fully assembled with containers separately

Colour Options >>>

Please specify door colour when ordering by adding the colour code below. Body Colour is RAL 7035. Colours with BioCote® as standard.

Body Colour

Light Grey
RAL 7035 - GU

Door Colours

Light Grey RAL 7035 - GU	Blue RAL 5002 - CF	Red RAL 3020 - RD
Green RAL 6001 - PD	Dark Grey BS00A11 - HY	Yellow RAL 1003 - YD
Burgundy RAL 3002 - RM	Electric Blue BS 20 E 51 - BX	



Handle designed for easier operation, allows door closing without the key

Three point locking as standard

BioCote® Paint Finish
Epoxy-polyester powder coat colours with BioCote® protection. BioCote® inhibits the growth of potentially lethal bacteria such as MRSA and E. Coli and reduces the risk of cross contamination making it ideal for hygiene sensitive areas.



A

Cupboard contains the following containers:

- CP1 100W x 50H x 90L mm Red 14
- CP2 102W x 75H x 165L mm Blue 21
- CP3 148W x 130H x 240L mm Green 10
- CP4 207W x 130H x 350L mm Yellow 8
- CP5 207W x 175H x 350L mm Red 4



B

Cupboard contains the following containers:

- CP1 100W x 50H x 90L mm Red 14
- CP2 102W x 75H x 165L mm Blue 21
- CP3 148W x 130H x 240L mm Green 10
- CP5 207W x 175H x 350L mm Red 4
- CP6 416W x 175H x 375L mm Green 4



C

Cupboard contains the following containers:

- CP1 100W x 50H x 90L mm Red 14
- CP2 102W x 75H x 165L mm Blue 21
- CP3 148W x 130H x 240L mm Green 10
- CP4 207W x 130H x 350L mm Yellow 4
- CP5 207W x 175H x 350L mm Red 4
- CP6 416W x 175H x 375L mm Green 2



D

Contains the following containers:

- CP1 100W x 50H x 90L mm Red 14
- CP2 102W x 75H x 165L mm Blue 21
- CP3 148W x 130H x 240L mm Green 10
- CP4 207W x 130H x 350L mm Yellow 4
- CP5 207W x 175H x 350L mm Red 4
- CP6 416W x 175H x 375L mm Green 2

Tall Double & Half Height Cupboard

TYPE	DIMENSIONS (H x W x Dmm)	DESCRIPTION	REF
A	1820 x 915 x 505	Tall Double Cupboard, 2 Shelves	CK21961LGU-29512
B	1820 x 915 x 505	Tall Double Cupboard, 2 Shelves	CK41961LGU-29512
C	1820 x 915 x 505	Tall Double Cupboard, 1 Shelf	CK61961LGU-29511
D	1820 x 915 x 505	Tall Double Cupboard, 2 Shelves	CK11961LGU-29512
E	1820 x 915 x 505	Tall Double Cupboard, 2 Shelves	CK31961LGU-29512
F	1820 x 915 x 505	Tall Double Cupboard, 2 Shelves	CK51961LGU-29512
G	1820 x 915 x 505	Tall Double Cupboard, 1 Shelf	CK71961LGU-29511
H	1820 x 915 x 505	Tall Double Cupboard, 1 Shelf	CK91961LGU-29511
I	1820 x 915 x 505	Tall Double Cupboard, 1 Shelf	CK81961LGU-29511
J	984 x 915 x 505	Half Height Cupboard, 1 Shelf	CK1H961LGU-29511
K	984 x 915 x 505	Half Height Cupboard, NO Shelf	CK3H961LGU-29500
L	984 x 915 x 505	Half Height Cupboard, 1 Shelf	CK2H961LGU-29511
M	984 x 915 x 505	Half Height Cupboard, NO Shelf	CK4H961LGU-29500

HAVE YOU SEEN... ?

Heavy & Standard Duty Shelving See Pages 33-34

Simple, tap together, fully adjustable shelving for quick and economic storage solutions. Take a standard bay and tailor it to your needs by adding shelf levels.

