

High Rise Telescopic Expressway

Low Rise Telescopic Expressway



2019 Price List


the versatile conveyor company

The **OCON High-Rise Telescopic** conveyor has been developed as a safe, efficient and cost effective solution for quickly unloading shipping containers or trailers where no level loading dock is available. The telescopic conveyor will extend up to 10m inside the shipping container or trailer and will convey cartons under gravity to an offload point at ground level. Conveyor framework powder-coated BS 4800 18-E-53. Always supplied as the main telescopic conveyor and a 3m extension to lower the conveyor discharge height. The conveyor can be further extended at ground level by connecting a heavy duty **Expandaveyor**



High-Rise Telescopic Expressway

Model	Ground to trailer / container floor height	Discharge Height	Price
750/900	750 - 900mm	780 - 1000mm	£6,947
850/1100	850 - 1100mm	780 - 1000mm	£6,947
950/1300	950 - 1300mm	780 - 1000mm	£6,947
1050/1400 (A)	1050 - 1400mm	1000 - 1350mm	£6,642
1150/1500 (B)	1150 - 1500mm	1100 - 1450mm	£6,642
1250/1600 (C)	1250 - 1600mm	1100 - 1450mm	£6,642
1300/1650 (D)	1300 - 1650mm	1100 - 1450mm	£6,642
1350/1700 (E)	1350 - 1700mm	1200 - 1550mm	£6,642




Optional Skid Plate £48.00

Optional Expandaveyor Extension

Model	Extended Length	Closed Length	Price
EXP-HD12-PR50-600-6.0-L25-CH-EP	6,000mm	2,600mm	£1,419
EXP-HD12-PR50-600-7.5-L25-CH-EP	7,500mm	3,220mm	£1,763
EXP-HD12-PR50-600-9.0-L25-CH-EP	9,000mm	3,840mm	£2,069


The **OCON Low-Rise Telescopic** conveyor has been developed as a safe, efficient and cost effective solution for quickly unloading shipping containers or trailers where no level loading dock is available. The telescopic conveyor will extend up to 10m inside the shipping container or trailer and will convey cartons under gravity to an offload point at ground level. Conveyor framework powder-coated BS 4800 18-E-53. Supplied as the main telescopic conveyor with an optional 3m extension to lower the conveyor discharge height. The conveyor can be further extended at ground level by connecting a heavy duty **Expandaveyor**



Low-Rise Telescopic Expressway

Model	Ground to trailer / container floor height	Discharge Height	Price without Extension Track	Discharge Height With Extension	Price with 3m Extension Track
250/400	250 - 400mm	830 - 980mm	£5,829	700 - 800mm	£6,947
300/450	300 - 450mm	870 - 1020mm	£5,829	700 - 800mm	£6,947
400/550	400 - 550mm	970 - 1120mm	£5,829	750 - 900mm	£6,947
500/650	500 - 650mm	1070 - 1120mm	£5,829	800 - 950mm	£6,947
600/750	600 - 750mm	1170 - 1320mm	£5,829	800 - 950mm	£6,947

Optional Skid Plate £48.00



Optional Expandaveyor Extension

Model	Extended Length	Closed Length	Price
EXP-HD12-PR50-600-6.0-L25-CH-EP	6,000mm	2,600mm	£1,419
EXP-HD12-PR50-600-7.5-L25-CH-EP	7,500mm	3,220mm	£1,763
EXP-HD12-PR50-600-9.0-L25-CH-EP	9,000mm	3,840mm	£2,069