

PREMIER 1 Workbench Range

A flat pack modular workbench system with a weight capacity of 400kg UDL. All workbenches are 840mm high as standard, other heights available. All Premier workbench frames, cabinet and drawer carcasses are epoxy polyester powder coated in Silver Grey (RAL 7001). All premier cabinet doors and drawers are epoxy polyester powder coated in Pantone 282 U.

Workbenches

L x W (mm)	Top	Code	£
1500 x 600	Veneer	PW156A	317.79
1500 x 700	Veneer	PW157A	367.93
1500 x 600	Lino	PW156B	368.10
1500 x 700	Lino	PW157B	404.07
1500 x 600	MDF	PW156C	252.63
1500 x 700	MDF	PW157C	299.25
2000 x 600	Veneer	PW126A	328.48
2000 x 700	Veneer	PW127A	433.08
2000 x 600	Lino	PW126B	375.27
2000 x 700	Lino	PW127B	432.97
2000 x 600	MDF	PW126C	252.49
2000 x 700	MDF	PW127C	309.26

Accessories

L x W (mm)	Top	Code	£
1500 x 600	Base Shelf	PW156BS	66.03
1500 x 600	Base Shelf/Mat	PW156BM	86.23
1500 x 700	Base Shelf	PW157BS	69.62
1500 x 700	Base Shelf/Mat	PW157BM	89.82
2000 x 600	Base Shelf	PW126BS	74.42
2000 x 600	Base Shelf/Mat	PW126BM	101.35
2000 x 700	Base Shelf	PW127BS	79.31
2000 x 700	Base Shelf/Mat	PW127BM	106.24

Caster Set (Factory Fitted)

Set of 4x rubber tyred castors fitted.
2x swivel & 2x swivel braked (300kg UDL capacity).
Please note this will increase the workbench height by approximately 130mm.

Diameter (mm)	Code	£
100	PW4SC	74.93

Cabinets


H/Drawer (mm)	Code	Shelves	Drawers	£
	PC1	1		203.80
150	PC2	1	1	248.73
150/100	PC4		3/1	348.37

Drawers


L x W x D (mm)	Drawers	Code	£
225 x 500 x 500	1	PD1A	149.74
425 x 500 x 500	1	PD1B	213.02
425 x 500 x 500	2	PD2	280.01

Premier 1 Workbench Range

Simple flat pack assembly for a basic bench 600mm wide including all assembly fixings.




1500 x 600 c/w lino worktop
PW156B



(300kg UDL capacity)

1500 x 600 c/w lino worktop
PW156B + PW4SC



(300kg UDL capacity)

1500 x 600 c/w lino worktop
PW156B + PW156BM + PW4SC

Premier Underbench Cabinets

650mm high, 500mm wide & 500mm deep. All cabinets secured by semi-flush fit locking handle and are complete with perforated tool panel and adjustable shelf.



PC1



PC2



PC4

Key Features:

- Central locking facility
- Manufactured from 0.9mm thick steel sheet

Premier Underbench Drawers

500mm wide x 500mm deep. PD1A = 225mm high PD1B = 425mm high.
All drawers are mounted on precision ball bearing telescopic slides (capacity 40kg UDL).



PD1A



PD1B



PD2

Key Features:

- Central locking facility
- Manufactured from 0.9mm thick steel sheet

Workbench Range **PREMIER 1**

400kg UDL. Construction from fabricated steel section with welded leg supports and multi position cross rail.




1500 x 600 c/w lino worktop
PW156B + PD1A



1500 x 600 c/w veneer worktop
PW156A + PW156BM



1500 x 600 c/w lino worktop
PW156B + PD2



1500 x 600 c/w veneer worktop
PW156A + PD1A



1500 x 600 c/w lino worktop
PW156B + PC4



1500 x 600 c/w veneer worktop
PW156A + PC1




1500 x 600 c/w lino worktop
PW156B + PC2



1500 x 600 c/w veneer worktop
PW156A + PD1A + PC1

Worktops

- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- B = 25m thick industrial grey lino. 2mm lino surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.



PREMIER 2 Workbench Range



Dimensions

All workbenches 840mm high.

AVAILABLE IN 2 SIZES

1500mm length x 700mm wide


2000mm length x 700mm wide

Worktops

A = 25mm thick hardwood veneer top.
2mm veneer surface on composite core.
Edge banded in 2mm thick grey plastic.

B = 25mm thick industrial grey lino.
2mm lino surface on composite core.
Edge banded in 2mm thick grey plastic.

C = 25mm thick plain cut MDF.



Dimensions

All workbenches 840mm high.

AVAILABLE IN 2 SIZES

1500mm length x 700mm wide

2000mm length x 700mm wide

Workbench Range PREMIER 2

A flat pack heavy duty modular workbench system with a weight capacity of 500kg UDL. All workbenches are 840mm high as standard, other heights available on request. All Premier workbench frames are epoxy polyester powder coated in Silver Grey (RAL 7001). Cabinets/drawers Pantone 282 U.

Accessories

ACCESSORY POSTS

	£
PWAP1 Pair of accessory posts for combi panel 1000mm high	57.33
PWAP2 Pair of accessory posts for combi panel & upper shelf 1500mm high	62.06
PWAP3 Pair of accessory posts for combi panel & upper shelf & light 2000mm high	66.79

SERVICE DUCT

PWSD15 1500mm long service duct with 2 x 2 13amp double sockets	98.26
PWSD20 2000mm long service duct with 2 x 2 13amp double socket	117.81

COMBINATION BACK PANELS 450MM HIGH

PWCP15 Combination Panel 1500mm x 450mm	80.15
PWCP20 Combination Panel 2000mm x 450mm	94.73

UPPER SHELVES

PWUSS15 1500mm long steel upper shelf	77.70
PWUSS20 2000mm long steel upper shelf	90.60

LIGHT BAR WITH 1200MM STRIP LIGHT*

PWLU15 1500mm long supplied with diffuser	158.46
PWLU20 2000mm long supplied with diffuser	161.81

*All electrics are supplied unwired, for fitting by a suitably qualified electrician.

Workbenches

L x W x D (mm)	Top	Code	£
1500 x 700 x 840	Veneer	PW257A	364.83
1500 x 700 x 840	Lino	PW257B	402.60
1500 x 700 x 840	MDF	PW257C	301.97
2000 x 700 x 840	Veneer	PW227A	447.47
2000 x 700 x 840	Lino	PW227B	447.36
2000 x 700 x 840	MDF	PW227C	327.84

Cabinets

L x W x D (mm)	Code	Shelves	Drawers	£
650 x 500 x 500	PC1	1		203.80
650 x 500 x 500	PC2	1	1	248.73
650 x 500 x 500	PC4		3/1	348.37

Drawers

L x W x D (mm)	Drawers	Code	£
225 x 500 x 500	1	PD1A	149.74
425 x 500 x 500	1	PD1B	213.02
425 x 500 x 500	2	PD2	280.01

Premier Underbench Cabinets

650mm high, 500mm wide & 500mm deep.
All cabinets secured by semi-flush fit locking handle and are complete with perforated tool panel and adjustable shelf.

Key Features:

- Central locking facility
- Manufactured from 0.9mm thick steel sheet



Premier Underbench Drawers

500mm wide x 500mm deep.
PD1A = 225mm high PD1B = 425mm high
All drawers are mounted on precision ball bearing telescopic slides (capacity 40kg UDL)

Key Features:

- Central locking facility
- Manufactured from 0.9mm thick steel sheet



PREMIER 3 Square Tube Workbenches

Welded construction from 30mm square steel tube (Premier 3) and 50mm x 25mm rectangular steel tube (Premier 4) with a choice of worktops & accessories. The benches will arrive on site built up with above the work surface accessories supplied loose. All workbenches are 840mm high as standard, other heights available. Silver Grey (RAL 7001) Frames with Pantone 282 U Doors/Drawers.

Premier 3 Workbenches (Square Tube)

L x W x D (mm)	Top	Code	£
1500 x 600 x 840	Veneer	PW356A	358.50
1500 x 750 x 840	Veneer	PW357A	371.69
1500 x 600 x 840	Lino	PW356B	399.11
1500 x 750 x 840	Lino	PW357B	407.67
1500 X 600 x 840	ESD	PW356G	500.79
1500 X 750 x 840	ESD	PW357G	577.58
1800 x 600 x 840	Veneer	PW386A	414.80
1800 x 750 x 840	Veneer	PW387A	416.72
1800 x 600 x 840	Lino	PW386B	386.82
1800 x 750 x 840	Lino	PW387B	410.79
1800 X 600 x 840	ESD	PW386G	544.50
1800 X 750 x 840	ESD	PW387G	585.37

Premier 4 Workbenches (Cantilever)

L x W x D (mm)	Top	Code	£
1500 x 600 x 840	Veneer	PW456A	398.64
1500 x 750 x 840	Veneer	PW457A	414.33
1500 x 600 x 840	Lino	PW456B	439.25
1500 x 750 x 840	Lino	PW457B	448.67
1500 X 600 x 840	ESD	PW456G	568.91
1500 X 750 x 840	ESD	PW457G	653.94
1800 x 600 x 840	Veneer	PW486A	457.45
1800 x 750 x 840	Veneer	PW487A	460.40
1800 x 600 x 840	Lino	PW486B	429.65
1800 x 750 x 840	Lino	PW487B	455.81
1800 X 600 x 840	ESD	PW486G	621.59
1800 X 750 x 840	ESD	PW487G	664.83

Cabinets

L x W x D (mm)	Code	Shelves	Drawers	£
650 x 500 x 500	PC1	1		203.80
650 x 500 x 500	PC2	1	1	248.73
650 x 500 x 500	PC4		3/1	348.37

Drawers

L x W x D (mm)	Drawers	Code	£
225 x 500 x 500	1	PD1A	149.74
425 x 500 x 500	1	PD1B	213.02
425 x 500 x 500	2	PD2	280.01

Premier 3 Workbench Range



1800 x 750 c/w lino worktop
PW387B + PC4



1800 x 750 c/w lino worktop
PW387B + PC4 +
PC2 + monitor arm



1800 x 750 c/w lino worktop
PW387B + PC4 + PC2

Premier Underbench Cabinets

650mm high, 500mm wide & 500mm deep. All cabinets secured by semi-flush fit locking handle and are complete with perforated tool panel and adjustable shelf.

Key Features:

- Central locking facility
- Manufactured from 0.9mm thick steel sheet



PC1



PC2



PC4

Premier Underbench Drawers

500mm wide x 500mm deep. PD1A = 225mm high PD1B = 425mm high. All drawers are mounted on precision ball bearing telescopic slides (capacity 40kg UDL).

Key Features:

- Central locking facility
- Manufactured from 0.9mm thick steel sheet



PD1A



PD1B



PD2

Cantilever Workbenches PREMIER 4

Premier 4 Workbench Range



1800 x 750 c/w ESD worktop
PW487G



1800 x 750 c/w ESD worktop
PW487G + PC2

Please note:
Earth Bonding Points shown in image are an optional extra.



1800 x 750 c/w ESD worktop
PW487G + PC2 + PC4 + PSD18 + PAP1 + PCP18




1800 x 750 c/w ESD worktop
PW487G + PC2 + PC4 + PSD18 + PAP3 + PCP18 + PUSS18 + PLU18

Accessories

ACCESSORY POSTS		£
PWAP1	Pair of accessory posts for combi panel 1000mm high	57.33
PWAP2	Pair of accessory posts for combi panel & upper shelf 1500mm high	62.06
PWAP3	Pair of accessory posts for combi panel & upper shelf & light 2000mm high	66.79
SERVICE DUCT*		
PWSD15	1500mm long service duct with 2 x 2 13amp double sockets	98.26
PWSD18	1800mm long service duct with 2 x 2 13amp double sockets	87.64
COMBINATION BACK PANELS 450MM HIGH		
PWCPI5	Combination Panel 1500mm x 450mm	80.15
PWCPI8	Combination Panel 1800mm x 450mm	91.87
UPPER SHELVES		
PWUSS15	1500mm long steel upper shelf	77.70
PWUSS18	1800mm long steel upper shelf	90.60
BASE SHELVES		
PBS15	1500mm long steel base shelf	79.24
PBS18	1800mm long steel base shelf	85.09
LIGHT BAR WITH 1200MM STRIP LIGHT*		
PWLU15	1500mm long supplied with diffuser	158.96
PWLU18	1800mm long supplied with diffuser	153.43
KBMA1	Keyboard Monitor Arm	154.34

Worktops

- A = 20mm thick hardwood veneer top plus 2mm veneer surface on composite core
- B = 20mm thick industrial grey lino top plus 2mm lino surface on composite core
- C = 20mm thick ESD laminate worksurface on composite core



*All electrics are supplied unwired, for fitting by a suitably qualified electrician

